


# GT 750™ 36:1 Grease Transfer Pump

Superior Pump Performance



## Higher Flow Rates

Made in the USA, Graco's GT 750 pump is designed with field-proven NXT® air motor technology, combined with the industry-leading Fire-Ball® pump design to provide exceptional delivery rates and pump life.

PROVEN QUALITY. LEADING TECHNOLOGY.

# GT 750 36:1 Grease Transfer Pump



Up to  
**32 lb/min**  
(14.5 kg/min)



## Fewer Strokes and Longer Pump Life

Graco's GT 750 pump was engineered to perform in challenging applications and changing environments. The large 7.5-inch air motor and pump lower combination allows the GT 750 pump to move the same amount of grease with up to three to four times fewer pump strokes.

### NXT Air Motor Technology

Reliable and efficient operation.

### Proven Pump Technology

Based on Fire-Ball 425 pump technology.

### High Flow Rates

Up to 32 lb/min (14.5 kg/min) of NLGI #2 grease.

### Adjustable 2-in NPT Bung Adapter

Drum-mountable solution.

### High Volume Per Stroke

Less wear on seals.

### Multiple Tank Options

Available in 35-, 120- and 400-lb down tube lengths.


## Typical Applications

- Lube trucks
- Mines or mining operations
- Heavy-duty dealerships
- Fleet service facilities
- In-plant
- Marine

## Typical Fluids Handled

- Grease up to NLGI #2

## Pump Performance



## Technical Specifications

Fluid Pressure Ratio	36:1
Air Pressure Operating Range	40-100 psi (3-7 bar)
Maximum Working Pressure	3,600 psi (248 bar)
Maximum Recommended Continuous Duty Pump Speed	60 cycles per minute
Air Motor Effective Diameter	7.5 in (190 mm)
Stroke	4.75 in (121 mm)
Air Inlet	1/2 in NPT
Fluid Outlet	1 in NPT
Maximum Delivery	32 lb/min (14.5 kg/min)
Pump Weight	59 lb (26.8 kg)
Wetted Parts	Steel, brass, Buna-N, urethane, ductile iron, aluminum
Sound Power (measured at 70 psi [4.8 bar], 20 CPM per ISO-9414-2)	77.2 dBA
Sound Pressure (tested at 3.28 ft [1 m] from equipment)	70.5 dBA
Pump Cycles Per Pound	3 cycles
Pump Cycles Per KG	6 cycles
Warranty	Five years overall and 1 year wear parts
Instruction Manual	3A5363



## Industry Applications



### Mining and Fleet Service

Use anywhere you need to move grease between bulk containers.



### Transit and Marine


Fill automatic lubrication system reservoirs quickly, reliably and efficiently.



### In-Plant

Minimize downtime and maximize profitability.


## Mounting Orientations




Drum Mount



Side Pocket Mount



Horizontal Mount



Top Mount

## Ordering Information

### GT 750 36:1 Grease Pumps

Part Number	Description
24W498	GT 750 Series 36:1 – Universal Grease Transfer Pump
25D116	GT 750 Series 36:1 – 120 lb Grease Transfer Pump
24W337	GT 750 Series 36:1 – 400 lb Grease Transfer Pump

### Accessories

Part Number	Description
131380	Male Cam Lock Adapter – 3 in
131394	Female Cam Lock Adapter – 3 in
200326	Drum Cover – 400 lb Drum
223701	Follower Plate – 400 lb Drum
204574	Drum Cover – 120 lb Drum
223700	Follower Plate – 120 lb Drum
160754	Bung Adapter Plate (used to mount pump to drum cover) – 2 in

## AMERICAS

### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88 11th Avenue N.E.  
Minneapolis, MN 55413

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000 Fax: 612-623-6777

## EUROPE

### BELGIUM

Graco BVBA  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
B-3630 Maasmechelen,  
Belgium  
Tel: 32 89 770 700 Fax: 32 89 770 777

## ASIA PACIFIC

### AUSTRALIA

Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

### CHINA

Graco Hong Kong Ltd.  
Shanghai Representative Office  
Building 7  
1029 Zhongshan Road South,  
Huangpu District  
Shanghai, 200011  
The People's Republic of China  
Tel: 86 21 649 50088 Fax: 86 21 649 50077

### INDIA


Graco Hong Kong Ltd.  
India Liaison Office  
Room 443, Level 4  
Augusta Point, Golf Course Road  
Gurgaon, Haryana, India 122001  
Tel: 91 124 435 4208 Fax: 91 124 435 4001

### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300 Fax: 81 45 593 7301

### KOREA

Graco Korea Inc.  
Shinhan Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-si, Korea 431-060  
Tel: 82 31 476 9400 Fax: 82 31 476 9801



# Graco's got you covered

Facilities Worldwide for Global Support



## Quality First

At Graco, we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your lubrication challenges.



## Global Reach

Graco has facilities and distribution partners across the globe to provide you with the products and service *you* need, where *you* live. Plus, Graco has dedicated field experts around the world to support the products we sell.



## Product Capabilities

Graco has a broad range of products to provide solutions that meet your needs. Our products are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

Contact us today!

Call **800-533-9655** to speak with a Graco representative,  
or visit **www.graco.com** for more information.

